

PRODUCT CATALOGUE



ARCHITECTURAL LIGHTING

NOCHE

nochelighting.com

NOCHE

NOCHE aligns design discipline with production engineering in outdoor lighting. It manufactures luminaires that complete architecture, add value to spaces, and maintain their performance for years.

Every product is more than a form; it is an integrated whole where material, craftsmanship, and light control come together in a single solution.

Our design language is clear: refined lines, accurate proportions, flawless surfaces. Our approach to light is controlled; it reduces glare, directs light where it is needed, and elevates the space without excess. We position lighting not as an accessory, but as a natural extension of architecture.

Our production infrastructure is built on repeatable quality and process consistency. We use high-pressure aluminum die casting in body production; this method strengthens form integrity while ensuring consistent durability and surface quality. From design to mold-making, from surface treatments to assembly, every step is managed through measurement, control, and standardization principles.

Our understanding of quality is visible not only in final inspection, but throughout the entire production process. Our culture of continuous improvement focuses on better performance at every point, from material selection and machining precision to surface durability and assembly details.

NOCHE: craftsmanship felt at first touch, simplicity understood at first sight, durability that inspires confidence over time.

With quiet elegance, it leaves its signature on a space.



The Engineering of Light

"It is not enough to illuminate a space; its character must be made visible."

NOCHE is a 100% locally manufactured outdoor lighting brand developed under Izmir Park Elektrik A.S.

NOCHE approaches outdoor lighting not merely as a product group, but as a design and engineering field that defines the identity of a space.

Built on more than 20 years of sector experience and a strong engineering infrastructure, NOCHE evaluates light, material, and architecture together. The goal is to bring aesthetics, durability, and technical performance together in a single product.

For us, a good luminaire does more than produce light. It supports the character of the space, provides safe and balanced illumination, and preserves its performance for many years.

The NOCHE product family consists of various outdoor solutions including LED bollard luminaires, wall lights, garden spike spotlights, and walkway luminaires. It is confidently preferred in residential, compound, villa, hotel, and public-space projects.

All products are manufactured with a cast aluminum body structure, energy-efficient LED technology, and heat-resistant glass components. Controlled light distribution, balanced design language, and long-lasting use are the fundamental principles of every design.

NOCHE does not merely illuminate a space; it defines it.

Measurable performance. Sustainable quality.
Long-lasting and reliable lighting.





- Wall Light Series 05
- Bollard Series 15
- Surface-Mounted Series 27
- Ceiling Light Series 28
- Pole Light Series 29
- Garden Spike Light Series 33

The Engineering of Light

NOCHE



Wall Light Series



The Light on the Walls of Cities

ŞCities sometimes carry not direction, but spirit. Atina leaves a calm line; Milano speaks through its form; Sevilla invites with its warmth. In the NOCHE Wall Light Series, every name is a brief expression of the atmosphere to be created on the wall: Roma evokes permanence, Napoli vitality, Palermo Mediterranean warmth; Bologna, Torino, and Livorno evoke a more refined, measured stance that integrates with architecture. On the Spanish line, Madrid is more distinctive and dynamic; Ibiza is lighter and more relaxed; Barselona carries a more design-oriented feeling. Venedik suggests a soft and flowing effect, Amsterdam organized modernity, and Hamburg a strong, serious character. Granada and Florence point to timeless elegance where detail and craftsmanship come forward.

In this series, light does not merely illuminate the wall - it gives the space character. NOCHE wall lights work like an architecture-respecting signature that accompanies the night with clean lines, controlled light distribution, and a long-lasting construction philosophy.

The light falling on the wall is the signature of the city.

Values: Elegance • Clean Lines • Long Life

Ömür

Designed for garden walls, terrace and veranda surfaces, building entrances, and exterior facade applications. Its upward and downward light distribution creates a balanced accent effect on facades and highlights architectural details.



Atina - NCH 1100 A

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Cover / Diffuser Material: Heat-Resistant Glass
- Dimensions: : 225mm x 105mm x 90mm
- Light Colour : Bulb-Dependent
- IP Rating : IP65
- Socket Type: 2 x GU10
- Finish : Anthracite



Atina - NCH 1100 B

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Cover / Diffuser Material: Heat-Resistant Glass
- Dimensions: : 225mm x 105mm x 90mm
- Light Colour : Bulb-Dependent IP Rating : IP65
- Socket Type: 2 x GU10
- Finish : White



Atina - NCH 1100 S/A

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Cover / Diffuser Material: Heat-Resistant Glass
- Dimensions: : 225mm x 105mm x 90mm
- Light Colour : Bulb-Dependent IP Rating : IP65
- Socket Type: 2 x GU10
- Finish : Black / Gold



Atina - NCH 1100 S

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Cover / Diffuser Material: Heat-Resistant Glass
- Dimensions: : 225mm x 105mm x 90mm
- Light Colour : Bulb-Dependent IP Rating : IP65
- Socket Type: 2 x GU10
- Finish : Black



Napoli - NCH 1810

Ideal for single-direction lighting in outdoor areas such as villa and building entrances, veranda and terrace walls, and garden walls. Its compact size makes it suitable for use beside doors and windows.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Cover / Diffuser Material: Heat-Resistant Glass
- Dimensions: : 110mm x 120mm x 80mm
- Light Colour : Bulb-Dependent
- IP Rating : IP65
- Socket Type: GU10
- Finish : Anthracite



Bologna - NCH 1830

Used for single-direction lighting on garden and terrace walls and at building entrances. Ideal for narrow facade lighting areas and zones requiring accent light.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Cover / Diffuser Material: Heat-Resistant Glass
- Dimensions: : 180mm x 120mm x 80mm
- Light Colour : Bulb-Dependent
- IP Rating : IP65
- Socket Type: GU10
- Finish : Anthracite



Milano - NCH 1850

Used where upward and downward double-sided lighting is desired on building entrances, columns, and wall surfaces. Creates a decorative symmetrical light effect especially on narrow exterior corridor walls or balconies.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Cover / Diffuser Material: Heat-Resistant Glass
- Dimensions: : 180mm x 120mm x 80mm
- Light Colour : Bulb-Dependent
- IP Rating : IP65
- Socket Type: 2 x GU10
- Finish : Anthracite



Roma - NCH 1870

Ideal for obtaining broad upward and downward light beams on wide wall surfaces. Can be positioned symmetrically on both sides of columns in garden walls and building entrances. Used for decorative facade lighting.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Cover / Diffuser Material: Heat-Resistant Glass
- Dimensions: : 240mm x 120mm x 80mm
- Light Colour : Bulb-Dependent
- IP Rating : IP65
- Socket Type: 2 x GU10
- Finish : Anthracite



Venedik - NCH 1820

Can be used in areas where one-way light is required, such as garden fences or beside home entrance doors. With its simple design, Venedik is preferred on balcony and terrace walls and adapts to both classic and modern architecture.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 125mm x 120mm x 80mm
- Light Colour : Bulb-Dependent
- IP Rating : IP65
- Socket Type: GU10
- Finish : Anthracite



Palermo - NCH 1840

Can be used for single-direction lighting on residential exteriors, garden walls, or veranda areas.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 195mm x 120mm x 80mm
- Light Colour : Bulb-Dependent
- IP Rating : IP65
- Socket Type: GU10
- Finish : Anthracite



Torino - NCH 1860

Used in applications where both upward and downward light effects are desired on building facades, columns, or large wall areas.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 210mm x 120mm x 80mm
- Light Colour : Bulb-Dependent
- IP Rating : IP65
- Socket Type: 2 x GU10
- Finish : Anthracite



Livorno - NCH 1880

Ideal for powerful two-way lighting on high walls, column surfaces, and building entrance facades.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 270mm x 120mm x 80mm
- Light Colour : Bulb-Dependent
- IP Rating: IP65
- Socket Type: 2 x GU10
- Finish : Anthracite





Madrid - NCH 1740

Used on garden walls, courtyard entrances, and terraces with a wall-lantern appearance for both lighting and decorative purposes.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Application Cover / Diffuser Material : Heat-Resistant Glass
- Dimensions: : 170mm x 90mm x 70mm
- Light Colour : Bulb-Dependent
- IP Rating : IP65
- Socket Type: 2 x GU10
- Finish : Anthracite



Sevilla - NCH 1710

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Application Cover / Diffuser Material : Heat-Resistant Glass
- Dimensions: : 100mm x 95mm x 67mm
- Light Colour : Bulb-Dependent
- Watt: LED LED Bulb Recommended
- IP Rating : IP65
- Socket Type: GU10
- Finish : Anthracite



İbiza - NCH 1750

Ideal for garden, terrace, and balcony walls for those who appreciate classic decoration. Provides two-way light.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Application Cover / Diffuser Material : Heat-Resistant Glass
- Glass
- Dimensions: : 170mm x 90mm x 70mm
- Light Colour : Bulb-Dependent
- IP Rating : IP65
- Socket Type: 2 x GU10
- Finish : Anthracite



Barselona - NCH 1760

Preferred for historical or classic-inspired outdoor designs, garden walls, and courtyard walls.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Application Cover / Diffuser Material : Heat-Resistant Glass
- Dimensions: : 180mm x 120mm x 80mm
- Light Colour : Bulb-Dependent
- IP Rating : IP65
- Socket Type: 2 x GU10
- Finish : Anthracite



Granada - NCH 1720

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Application Cover / Diffuser Material : Heat-Resistant Glass
- Dimensions: : 100mm x 95mm x 67mm
- Light Colour : Bulb-Dependent
- Watt: LED LED Bulb Recommended
- IP Rating : IP65
- Socket Type: GU10
- Finish : Anthracite



Mizar - NCH 1735

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Application Cover / Diffuser Material : Glass
- Dimensions: : 170mm x 280mm x 110mm
- Light Colour : Bulb-Dependent
- IP Rating : IP54
- Socket Type: 2 x E27
- Finish : Smoke Grey



Mira - NCH 1730

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Application Cover / Diffuser Material : Polycarbon Glass
- Dimensions: : 170mm x 190mm x 110mm
- Light Colour : Bulb-Dependent
- Watt: 15 W
- IP Rating : IP54
- Socket Type: E27
- Finish : Smoke Grey



Fortuna - NCH 1780

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Application Cover / Diffuser Material : Glass
- Dimensions: : 110mm x 60mm x 75mm
- Light Colour : Bulb-Dependent
- IP Rating : IP54
- Socket Type: GU10
- Finish : Smoke Grey



Dione - NCH 1790

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: 3mm Glass
- Dimensions: : 92mm x 190mm x 60mm
- Light Colour : Bulb-Dependent
- IP Rating : IP54
- Socket Type: 2 x GU10
- Finish : Smoke Grey



Elara - NCH 1770

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: 3mm Glass
- Dimensions: : 73mm X 195mm X 60mm
- Light Colour : Bulb-Dependent
- IP Rating : IP54
- Socket Type: GU10
- Finish : Smoke Grey



Florence - NCH 1011 / NCH 1011 L

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 210mm x 105mm
- Light Colour : Bulb-Dependent
- IP Rating : IP65
- Socket Type: E27 / 12 W Integrated Led
- Finish : Anthracite



Vesta - NCH 1800

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: 3mm Glass
- Dimensions: : 110mm x 60mm x 75mm
- Light Colour : Bulb-Dependent
- IP Rating : IP54
- Socket Type: GU10
- Finish : Satin Nickel



Ceres - NCH 1900

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: 3mm Glass
- Dimensions: : 92mm x 190mm x 82mm
- Light Colour : Bulb-Dependent
- IP Rating : IP54
- Socket Type: 2 x GU10
- Finish : Satin Nickel



Doris - NCH 2000

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: 3mm Glass
- Dimensions: : 73mm x 195mm x 60mm
- Light Colour : Bulb-Dependent
- IP Rating : IP54
- Socket Type: 2 x GU10
- Finish : Satin Nickel





Vela - NCH 1032 S

Product Specifications

- Application : Outdoor
- Body Material : DKP Sheet Metal
- Heat-Resistant Glass: Plexiglass Glass
- Dimensions: : 420mm x 320mm x 320mm
- Light Colour : Bulb-Dependent
- IP Rating : IP65
- Socket Type: E27
- Finish : Black



Selene - NCH 1775

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: 3mm Glass
- Dimensions: : 100mm x 180mm x 82mm
- Light Colour : Bulb-Dependent
- IP Rating : IP54
- Socket Type: 2 x GU10
- Finish : Smoke Grey



Spica - NCH 1745

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Durable Glass
- Dimensions: : 104mm x 170mm x 70mm
- Light Colour : Bulb-Dependent
- IP Rating : IP44
- Socket Type: GU10 / MR16
- Finish : Smoke Grey



Aster - NCH 1755

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Durable Glass
- Dimensions: : 104mm x 210mm x 70mm
- Light Colour : Bulb-Dependent
- IP Rating : IP44
- Socket Type: GU10 / MR16
- Finish : Smoke Grey

Bollard Series

Silent Guides of the Path

Sometimes the confidence of a walk begins with a single line of light. Rotterdam loves order; Berlin stands with determination; Lahey keeps a calm rhythm. The NOCHE Bollard Series carries this disciplined language into the landscape: it guides without disrupting the flow of the path, clarifies boundaries, and makes every step comfortable.

The city names in the series describe the "stance" along the walking line: Breda as a balanced and simple beginning; Köln and Frankfurt with a more corporate, measured seriousness; Dortmund, Essen, Stuttgart, Hannover, Münih, and Malaga carrying a character that strengthens the sense of durability, continuity, and field confidence. The hybrid model Bollard Wall Light Valensiya, where the same language can be adapted to a wall, represents the idea of creating architectural unity with a single line of light.

On the celestial side, the names expand the sense of direction: Orion guides, Sirius carries a clear sparkle, Zenith places light exactly where it belongs. The Bollard Series solves the task in the landscape without speaking too much: step by step, without tiring the eye, without disrupting the language of the path.

The safety of the path begins with a quiet light.

Values: Guidance • Comfort • Durability



Hamburg - NCH 1610

Suitable for building entrances, parking lot exits, apartment and villa exterior facades where high light output is required. Thanks to integrated LED technology, it is an energy-saving, long-lasting lighting solution with minimal maintenance requirements.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Opal Diffuser
- Dimensions: : 200mm x 120mm
- Light Colour : Güneşiği 3000 K
- Watt: 14 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Anthracite



Berlin - NCH 1630

Used as a short LED bollard for decorative and guiding illumination in garden landscaping.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Opal Diffuser
- Ölçüler: 300mm x 155mm x 75mm
- Light Colour : Güneşiği 3000 K
- Watt: 14 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Anthracite



Köln - NCH 1650

Ideal for residential compounds and hotel gardens, pedestrian paths, and building surroundings where medium-height illumination is required.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Opal Diffuser
- Ölçüler: 500mm x 155mm x 75mm
- Light Colour : Güneşiği 3000 K
- Watt: 14 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Anthracite



Frankfurt - NCH 1680

Used as a tall LED bollard in large areas such as parking lots, facility entrances, campuses, and park pathways.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Opal Diffuser
- Ölçüler: 800mm x 155mm x 75mm
- Light Colour : Güneşiği 3000 K
- Watt: 14 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Anthracite





Dortmund - NCH 1620

Used at lighting points where high light output is required while keeping the height low.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Opal Diffuser
- Dimensions: : 300mm x 155mm x 75mm
- Light Colour: Warm White 3000 K
- Watt: 28 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Anthracite



Essen - NCH 1640

Used in areas requiring medium-height, wide-angle illumination, such as lighting pedestrian paths within residential compounds and parks, hotel gardens, or shopping mall outdoor areas.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Opal Diffuser
- Dimensions: : 500mm x 155mm x 75mm
- Light Colour: Warm White 3000 K
- Watt: 28 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Anthracite



Münih - NCH 1660

Suitable for illumination along the main pedestrian paths of large gardens, parks, campuses, and residential compounds.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Opal Diffuser
- Dimensions: : 800mm x 155mm x 75mm
- Light Colour: Warm White 3000 K
- Watt: 28 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Anthracite







Valensiya - NCH 1765

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 330mm x 115mm x 90mm
- Light Colour: Bulb-Dependent
- Watt : LED Bulb Recommended
- IP Rating : IP65
- Socket Type: GU10
- Finish : Anthracite



Stuttgart - NCH 1665

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 500mm x 195mm x 145mm
- Light Colour: Bulb-Dependent
- Watt : LED Bulb Recommended
- IP Rating : IP65
- Socket Type: GU10
- Finish : Anthracite



Hannover - NCH 1668

Product Specifications


- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Body MaterialHeat-Resistant Glass
- Dimensions: : 800mm x 195mm x 145mm
- Light Colour: Bulb-Dependent
- Watt : LED Bulb Recommended
- IP Rating : IP65
- Socket Type: GU10
- Finish : Anthracite



Malaga - NCH 1695

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Body MaterialHeat-Resistant Glass
- Dimensions: : 1000mm x 195mm x 145mm
- Light Colour: Bulb-Dependent
- Watt : LED Bulb Recommended
- IP Rating : IP65
- Socket Type: GU10
- Finish : Anthracite





Asgard - NCH 6292

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 1000mm
- Light Colour : 3000 K - 4000 K - 6500 K
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Black



Zodiac - NCH 6290 S

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 1050mm x 150mm x 90mm
- Light Colour: 3000K - 4000K - 6500K
- Watt : 10 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Black



Zenith - NCH 5080 S / NCH 5100 S

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 800mm / 1000mm
- Light Colour: 3000K - 4000K - 6500K
- Watt : 30 W x 2
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Black



Orion - NCH 3035 S / NCH 3075 S - NCH 3100 S

Product Specifications

- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 350mm / 750mm / 1000mm x 100mm x 100mm
- Light Colour: : 3000 K - 4000 K - 6500 K
- Watt : 12 W x 2
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Black



Amsterdam - NCH 1510

With its modern lines, this wall light can be used at office building and residential entrances, on garden walls, or for one-way/downward lighting as desired.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Opal Diffuser
- Dimensions: : 200mm x 120mm x 80mm
- Light Colour : Heat-Resistant Opal DiffuserBulb-Dependent
- IP Rating : IP65
- Socket Type: GU10
- Finish : Antrasit



Breda - NCH 1530

With its short height, it is ideal for close-range lighting in garden landscape applications, along walkway edges, flower beds, and around pools.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Opal Diffuser
- Dimensions: : 300mm x 130mm x 80mm
- Light Colour : Heat-Resistant Opal DiffuserBulb-Dependent
- Watt : LED Bulb Recommended
- IP Rating : IP65
- Socket Type: GU10
- Finish : Anthracite



Lahey - NCH 1550

As a medium-height bollard, it is used for guidance and safety lighting along garden paths, pedestrian paths within residential compounds, and in park and hotel gardens.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Opal Diffuser
- Dimensions: : 500mm x 130mm x 80mm
- Light Colour : Bulb-Dependent
- Watt : LED Bulb Recommended
- IP Rating : IP65
- Socket Type: GU10
- Finish : Anthracite



Rotterdam - NCH 1580

As a tall bollard post, it is used for illuminating wide walkways, parking lots, residential compound gardens, and public parks.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Opal Diffuser
- Dimensions: : 800mm x 130mm x 80mm
- Light Colour : Bulb-Dependent
- Watt : LED Bulb Recommended
- IP Rating : IP65
- Socket Type: GU10
- Finish : Anthracite



Rigel - NCH 6003

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Polycarbonate Cover
- Dimensions: : 300mm x 90mm
- Light Colour : Bulb-Dependent
- IP Rating : IP54
- Socket Type: E27
- Finish : Smoke Grey



Rigel - NCH 6005

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Cover / Diffuser Material: Polycarbonate Cover
- Dimensions: : 500mm x 90mm
- Light Colour : Bulb-Dependent
- IP Rating : IP55
- Socket Type: E27
- Finish : Smoke Grey



Rigel - NCH 6008

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Polycarbonate Cover
- Dimensions: : 800mm x 90mm
- Light Colour : Bulb-Dependent
- IP Rating : IP56
- Socket Type: E27
- Finish : Smoke Grey







Quasar - NCH 6270 S / NCH 6200 S

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 700mm / 1000mm
- Light Colour : 3000 K - 4000 K - 6500 K
- Watt: 12 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Black



Quasar Duo - NCH 6070 S / NCH 6100 S

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 700mm / 1000mm
- Light Colour : 3000 K - 4000 K - 6500 K
- Watt : 2 x 12 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Black



Sirius - NCH 4060 S / NCH 4080 S

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Body MaterialHeat-Resistant Glass
- Dimensions: : 600mm / 800mm x 120mm x 60mm
- Light Colour : 3000 K - 4000 K - 6500 K
- Watt : 10 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Black



Zonda - NCH 6250 S

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 500mm x 240mm x 100mm
- Light Colour : 3000 K - 4000 K - 6500 K
- Watt : 12 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Black

Surface-Mounted Series

The Light of the Boundary



Lyra - NCH 1018 S

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Cover / Diffuser Material: Plexiglass Glass
- Dimensions: : 300mm x 180mm x 180mm
- Light Colour : Bulb-Dependent
- IP Rating : IP66
- Socket Type: E27
- Finish : Black



Lyra - NCH 1024 S

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Cover / Diffuser Material: Pleksi Glass
- Dimensions: : 300mm x 240mm x 240mm
- Light Colour : Bulb-Dependent
- IP Rating : IP66
- Socket Type: E27
- Finish : Black



Lyra - NCH 1030 S

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Cover / Diffuser Material: Plexiglass Glass
- Dimensions: : 300mm x 300mm x 300mm
- Light Colour : Bulb-Dependent
- IP Rating : IP66
- Socket Type: E27
- Finish : Black

Ceiling Light



Celeste - NCH 1895

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Polycarbonate Cover
- Dimensions: : 95mm x 300mm
- Light Colour : Bulb-Dependent
- IP Rating : IP54
- Socket Type: E27
- Finish : Smoke Grey



Halo - NCH 1890 / NCH 1890 B

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: 4mm Glass
- Dimensions: : 120mm x 90mm
- Light Colour : Bulb-Dependent
- IP Rating : IP54
- Socket Type: GU10
- Finish : Smoke Grey / White

Pole Light Series

The Legend of Power

Poles are the backbone of the city: they carry the wind, withstand the rain, and take on the burden of the night. In the NOCHE Pole Light Series, the names work like symbols that describe the form of power through which performance is built: Juno gives direction, Spear protects, Gaia stands firmly; Griffin carries energy and vitality. Castor establishes balance, Hydra multiplies power; Vulcan recalls mastery and production discipline.

In this series, light does not only make things visible - it creates order, provides confidence, and claims the area. Consistent brightness, clear visibility, and a sense of safety are targeted in large areas; the structural and material approach is designed for long-term performance.

Power becomes calm with the right light.

Values: Performance • Safety • Engineering



Juno - NCH 7044 S / NCH 7045 S / NCH 7046 S

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 4000mm / 5000mm / 6000mm
- Light Colour : 3000 K - 4000 K - 6500 K
- Watt: 2 x 40 W
- IP Rating : IP66
- Socket Type: Integrated LED
- Finish : Black



Spear - NCH 1014 / NCH 1015 / NCH 1016

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 4000mm / 5000mm / 6000mm
- Light Colour : 3000 K - 4000 K - 6500 K
- Watt : 40 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Black



Vulcan - NCH 1074 / NCH 1075 / NCH 1076

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Body MaterialHeat-Resistant Glass
- Dimensions: : 4000mm / 5000mm / 6000mm
- Light Colour : 3000 K - 4000 K - 6500 K
- Watt : 40 W + 40 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Black



Delos - NCH 1034 / NCH 1035 / NCH 1036

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 4000mm / 5000mm / 6000mm
- Light Colour : 3000 K - 4000 K - 6500 K
- Watt : 30 W - 50 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Black



Umbra - NCH 1045 S

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Cover / Diffuser Material: Plexiglass Glass
- Dimensions: : 3000mm x 560mm x 97mm
- Light Colour : 3000 K - 4000 K - 6500 K
- Watt: 60 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Black



Delfi - NCH 1040

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 4000mm x 150mm
- Light Colour : Optional
- Watt : 20 W
- IP Rating : IP67
- Socket Type: Integrated LED Module (PCB)
- Finish : Black



Astra - NCH 1083 / NCH 1084 / NCH 1085 / NCH 1086

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 3000mm / 4000mm / 5000mm / 6000mm
- Light Colour : 3000 K - 4000 K - 6500 K
- Watt : 40 W + 40 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Black





Hydra - NCH 1055 / NCH 1056 / NCH 1057

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 4000mm / 5000mm / 6000mm
- Light Colour : 3000 K - 4000 K - 6500 K
- Watt : 40 W + 40 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Black



Gaia - NCH 1050

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 4000mm x 245mm
- Light Colour : 3000 K - 4000 K - 6500 K
- Watt: 8 W + 40 W
- IP Rating : IP67
- Socket Type: Integrated LED
- Finish : Black



Castor - NCH 1051

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 5000mm
- Light Colour : 3000 K - 4000 K - 6500 K
- Watt : 8 W + 40 W + 40 W
- IP Rating : IP67
- Socket Type: Integrated LED
- Finish : Black



Griffin - NCH 1094 / NCH 1095 / NCH 1096

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Heat-Resistant Glass: Heat-Resistant Glass
- Dimensions: : 4000mm / 5000mm / 6000mm
- Light Colour : 3000 K - 4000 K - 6500 K
- Watt : 40 W
- IP Rating : IP65
- Socket Type: Integrated LED
- Finish : Black

Garden Spike Light Series



The Elegance of Close Light

Light is not always high above; sometimes the right effect is closest to the ground. NOCHE garden spike lights make the area visible without losing the detail of the landscape: without overwhelming the plants, over-brightening the walk, or disturbing the natural texture... In this series, close light is calm, controlled, and respectful of architecture.

The names carry this approach as well: Londra evokes an organized, clear, and urban accent; Liverpool suggests a simpler, more technical, and function-focused stance. Great comfort at a small scale is achieved precisely through this measured and correctly positioned light.

Light that protects detail beautifies the space.

Values: Landscape Harmony • Soft Light • Control



Liverpool - NCH 1930

With its pointed stake structure that embeds into the ground, it can be placed easily at the desired point in grass areas.

Upward lighting from beneath trees or plant groups.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Cover / Diffuser Material: Body Material Heat-Resistant Glass
- Dimensions: : 280mm x 65mm
- Light Colour : Bulb-Dependent
- Watt: Bulb-Dependent
- IP Rating : IP65
- Socket Type: GU10
- Finish : Anthracite




Londra - NCH 1925

Thanks to its structure that can be easily inserted into soil, it is used in gardens to illuminate elements such as trees, shrubs, and sculptures. Its adjustable head lets you direct light to the desired point and create landscape accents.

Product Specifications

- Application : Outdoor
- Body Material : Aluminium
- Cover / Diffuser Material: Heat-Resistant Glass
- Dimensions: : 270mm x 150mm
- Light Colour : Bulb-Dependent
- Watt: Bulb-Dependent
- IP Rating : IP65
- Socket Type: GU10
- Finish : Black



PRICE LIST



Name	SKU	Finish	Price	Page Number
Florence	NCH 1011	Anthracite	\$29,50	12
Florence	NCH 1011 L	Anthracite	\$37,50	12
Spear	NCH 1014	Black	\$395,00	30
Spear	NCH 1015	Black	\$435,00	30
Spear	NCH 1016	Black	\$495,00	30
Lyra	NCH 1018 S	Black	\$105,00	28
Lyra	NCH 1024 S	Black	\$123,50	28
Lyra	NCH 1030 S	Black	\$133,00	28
Vela	NCH 1032 S	Black	\$105,00	14
Delos	NCH 1034	Black	\$667,00	30
Delos	NCH 1035	Black	\$772,00	30
Delos	NCH 1036	Black	\$937,50	30
Delfi	NCH 1040	Black	\$1.040,00	31
Umbra	NCH 1045 S	Black	\$835,00 6 MT \$1040	31
Gaia	NCH 1050	Black	\$915,00	32
Castor	NCH 1051	Black	\$1.135,00	32
Hydra	NCH 1055	Black	\$785,00	32
Hydra	NCH 1056	Black	\$845,00	32
Hydra	NCH 1057	Black	\$950,00	32
Vulcan	NCH 1074	Black	\$710,00	30
Vulcan	NCH 1075	Black	\$785,00	30
Vulcan	NCH 1076	Black	\$950,00	30
Astra	NCH 1083	Black	\$650,00	31
Astra	NCH 1084	Black	\$726,00	31
Astra	NCH 1085	Black	\$875,00	31
Astra	NCH 1086	Black	\$1.045,00	31
Griffin	NCH 1094	Black	\$450,00	32
Griffin	NCH 1095	Black	\$525,00	32
Griffin	NCH 1096	Black	\$615,00	32

Name	SKU	Finish	Price	Page Number
Atina	NCH 1100 A	Anthracite	\$57,00	06
Atina	NCH 1100 B	White	\$57,00	06
Atina	NCH 1100 S	Black	\$57,00	06
Atina	NCH 1100 S/A	Black / Gold	\$62,50	06
Breda	NCH 1530	Anthracite	\$82,00	23
Lahey	NCH 1550	Anthracite	\$95,00	23
Rotterdam	NCH 1580	Anthracite	\$110,00	23
Hamburg	NCH 1610	Anthracite	\$87,00	16
Dortmund	NCH 1620	Anthracite	\$155,00	18
Berlin	NCH 1630	Anthracite	\$95,00	16
Essen	NCH 1640	Anthracite	\$175,00	18
Köln	NCH 1650	Anthracite	\$115,00	16
Münih	NCH 1660	Anthracite	\$195,00	18
Stuttgart	NCH 1665	Anthracite	\$210,00	20
Hannover	NCH 1668	Anthracite	\$235,00	20
Frankfurt	NCH 1680	Anthracite	\$135,00	16
Malaga	NCH 1695	Anthracite	\$255,00	20
Sevilla	NCH 1710	Anthracite	\$28,00	10
Granada	NCH 1720	Anthracite	\$32,50	10
Mira	NCH 1730	Smoke Grey	\$56,00	11
Mizar	NCH 1735	Smoke Grey	\$70,00	11
Madrid	NCH 1740	Anthracite	\$35,00	10
Spica	NCH 1745	Smoke Grey	\$66,00	14
İbiza	NCH 1750	Anthracite	\$38,00	10
Aster	NCH 1755	Smoke Grey	\$75,00	14
Barselona	NCH 1760	Anthracite	\$38,00	10
Valensiya	NCH 1765	Anthracite	\$205,00	20
Elara	NCH 1770	Smoke Grey	\$34,00	11
Selene	NCH 1775	Smoke Grey	\$37,00	14

PRICE LIST



Name	SKU	Finish	Price	Page Number
Fortuna	NCH 1780	Smoke Grey	\$30,00	11
Dione	NCH 1790	Smoke Grey	\$34,00	11
Vesta	NCH 1800	Satin Nickel	\$33,00	12
Napoli	NCH 1810	Anthracite	\$43,50	07
Venedik	NCH 1820	Anthracite	\$47,50	08
Bologna	NCH 1830	Anthracite	\$47,50	07
Palermo	NCH 1840	Anthracite	\$51,00	08
Milano	NCH 1850	Anthracite	\$51,00	07
Torino	NCH 1860	Anthracite	\$56,50	08
Roma	NCH 1870	Anthracite	\$56,50	07
Livorno	NCH 1880	Anthracite	\$62,00	08
Halo	NCH 1890	Smoke Grey	\$40,00	28
Celeste	NCH 1895	Smoke Grey	\$90,00	28
Ceres	NCH 1900	Satin Nickel	\$39,50	12
Londra	NCH 1925	Black	\$32,50	34
Liverpool	NCH 1930	Anthracite	\$27,50	34
Doris	NCH 2000	Satin Nickel	\$37,00	12
Orion	NCH 3035 S	Black	\$119,00	22
Orion	NCH 3075 S	Black	\$146,00	22

Name	SKU	Finish	Price	Page Number
Orion	NCH 3100 S	Black	\$220,00	22
Sirius	NCH 4060 S	Black	\$115,00	26
Sirius	NCH 4080 S	Black	\$145,00	26
Zenith	NCH 5080 S	Black	\$135,00	22
Zenith	NCH 5100 S	Black	\$156,50	22
Rigel	NCH 6003	Smoke Grey	\$107,00	24
Rigel	NCH 6005	Smoke Grey	\$126,00	24
Rigel	NCH 6008	Smoke Grey	\$148,50	24
Quasar Duo	NCH 6070 S	Black	\$180,00	26
Quasar Duo	NCH 6100 S	Black	\$200,00	26
Quasar	NCH 6200 S	Black	\$146,00	26
Zonda	NCH 6250 S	Black	\$138,00	26
Quasar	NCH 6270 S	Black	\$126,00	26
Asgard	NCH 6292	Black	\$310,00	22
Juno	NCH 7044 S	Black	\$635,00	30
Juno	NCH 7045 S	Black	\$795,00	30
Juno	NCH 7046 S	Black	\$955,00	30
Amsterdam	NCH 1510	Anthracite	\$80,00	23
Zodiac	NCH 6290	Black	\$325,00	22





NOCHE

📍 Yenişehir Mah. 1263 Sk. No:12 Konak / İzmir, Türkiye

✉ info@nochelighting.com

☎ +90 232 504 05 05

☎ +90 540 504 05 05